



TECHNICAL SPECIFICATION OF CERTIFIED INVOICING SYSTEM (CIS) FOR A E-Vat DATA CONTROLLER (EDC)

Definitions

- "Authority" means Ghana Revenue Authority
- "User" means a taxpayer, user of CIS
- "TIN" –Tax Identification Number
- "Commissioner General" means the Commissioner General of Ghana Revenue Authority;
- "Electronic Billing Machines" means a system comprising of Certified Invoicing System and Virtual Sales Data Controller connected together;
- "Certified Invoicing System (CIS)" means a system designated for use in business for efficiency management controls in areas of sales analysis and stock control which conforms to the requirements specified by the Authority;
- "Machine Registration Code (MRC)" means CIS's unique serial number;
- "Receipt" means a certified retail receipt or a wholesale receipt (where required) or a receipt for the provision of services provided to the customer (private individual or businessman, as applicable);
- "Signature" means receipt data used for integrity verification by Authority;
- "Virtual Sales Data Controller (EDC)" is a software module communicating with both the CIS and the Authority for processing receipts;
- "Receipt data" means every receipt data provided by CIS which needs to be processed by EDC;
- "Response data" means every information sent from EDC to CIS;
- "Internal data" means encrypted information related to the current receipt and saved to internal storage of EDC;
- "EDC serial number" - Virtual Sales Data Controller's unique serial number with designation of its certificate;
- "Remote audit" - function of EDC to establish two way communication with remote server designated by the Authority in order to transfer required audit information;
- "Local audit" - function of EDC to provide information from its internal memory to a removable storage media;
- "POS" - Point Of Sale.

1. A Certified Invoicing System (CIS) can be any electronic cash register, any terminal with cash register software, any computer using invoicing software, or any other similar system used for registration of outbound transactions.
2. A CIS shall not be able to receive importation and purchase data or produce invoices unless connected to a functional Virtual Sales Data Controller unit assigned for the same TIN. This EDC preserves in an irrevocable and secure manner all relevant data of the outbound transactions, uses this data to calculate an encrypted value that must be printed on the final receipt, in accordance with this guideline.
3. A Cash Register/POS and similar business machine shall:
 - 3.1. Contain software (PC software or firmware) that controls the functions indicated in this guideline
 - 3.2. be provided with a model name and a manufacturing number through a Machine Registration Code (MRC) described below:
 - 3.2.1. Each CIS shall be provided with MRC (a model designation and serial number). MRC has a unique number by which both the certified invoicing system and the manufacturer are clearly identified. The MRC will be built as follows:
 - i. Cash registers: AAABBNNNNNN, where:
 1. AAA = manufacturer id. (given by the Authority);
 2. BB = manufacturer certificate number (given by the Authority);
 3. NNNNNN = serial number (in ascending order, given by the manufacturer)
 - ii. POS systems: BBCCNNNNNN, where:
 1. BBB = software developer id. (given by the Authority);
 2. CC = software developer certificate number (given by the Authority);
 3. NNNNNN = serial number (in ascending order, given by the software developer)
4. A Certified Invoicing System shall generate receipts, which must show, among others, the data enumerated in Items a to n of this Article as minimum required information:
 - a. Taxpayer's name;
 - b. Tax Identification Number;
 - c. the address at which the sale takes place;
 - d. tax Identification number of the client;
 - e. phone number of the client;
 - f. receipt type and transaction type;
 - g. serial number of the receipt from an uninterrupted ascending number series per receipt type;
 - h. registered items and/or services with description, quantity, price, with any other action that may be done such as cancellations, corrections;
 - h. total sales amount;
 - i. tax rates applied;
 - j. the value added tax added to the sale amount;
 - k. means of payment;
 - l. EDC information:
 - i. Date and time stamped by EDC;
 - ii. Sequential receipt type number;
 - iii. Receipt signatures;
 - iv. EDC identification number;
 - m. Date and time stamped by CIS;
 - n. Machine Registration Code (MRC).



5. Each receipt issued by Certified Invoicing System is formed from a combination of receipt type and transaction type.

- 5.1. Receipt types are:

- 5.1.1. NORMAL
- 5.1.2. COPY
- 5.1.3. TRAINING
- 5.1.4. PROFORMA

- 5.2. Each receipt type is attributed with one of the following transaction types:

- 5.2.1. SALE;
- 5.2.2. REFUND.

- 5.3. Certified Invoicing System shall assign a unique receipt label to each combination of receipt type and transaction, so that the Virtual Sales Data Controller can interpret them unambiguously. The table below gives the combinations of receipt labels:

RECEIPT TYPE	TRANSACTION TYPE	RECEIPT LABEL
NORMAL	SALES	NS
NORMAL	REFUND	NR
COPY	SALES	CS
COPY	REFUND	CR
TRAINING	SALES	TS
TRAINING	REFUND	TR
PROFORMA	SALES	PS

6. For the purpose of signing an invoice, the data flow between the Certified Invoicing System and the Virtual Sales Data Controller will be as follows for each receipt type:

- 6.1. the CIS sends the following receipt data to the EDC at the time when the receipt is being produced:

- 6.1.1. date and time;
- 6.1.2. Tax Identification Number;
- 6.1.3. client's TIN ;
- 6.1.4. client phone number;
- 6.1.5. machine registration code (MRC);
- 6.1.6. receipt number;
- 6.1.7. receipt type and transaction type;
- 6.1.8. TAX rates;
- 6.1.9. total amounts with TAX;
- 6.1.10. TAX amounts.

- 6.2. the EDC receives receipt data from CIS

- 6.3. the EDC generates the following response data and sends it back to the CIS:

- 6.3.1. EDC ID;
- 6.3.2. date and time;
- 6.3.3. receipt label;
- 6.3.4. receipt counter per receipt type;
- 6.3.5. receipt counter of all receipts;
- 6.3.6. digital signatures (except for the receipt types TRAINING and PRO FORMA);

- 6.4. the CIS finalizes receipt by printing EDC information on designated place within the receipt.

- 6.5. the CIS sends complete journal data of NS and NR receipt labels in text form to EDC.

7. CIS shall:

- 7.1. contain software (PC software or firmware) that controls the functions indicated in these regulations;
- 7.2. have reprogrammable TIN under its service mode, for the purpose of ownership transfer, only if the change of TIN is conditioned by the reset which deletes all information saved for previously programmed TIN;



- 7.3.** carry consecutive numbers in order to guarantee the completeness and the inalterability of the journal records. This means that the journal records in the electronic journal or the journal file (which includes all receipts of the various types, among other things) shall have maximum one ascending numbering per receipt type. In case of a total reset of the Certified Invoicing System, the aforementioned numbering shall recommence from 1 (one);
- 7.4.** be provided with a model name and a manufacturing number through a Machine Registration Code (MRC);
- 7.5.** have display screen showing the inputs and outputs of the sale with 2 decimal places;
- 7.6.** be able to produce Z daily report and X daily report. Z daily report refers to the summary of sales of a full day (from 00:00:00 to 23:59:59) of operations. X daily report refers to the summary of sales operations from the last Z report to the present;
- 7.7.** be issued with a version number which is a unique identifier of the software version and should be adapted for every change made to the software. CIS software version must be enabled for verification by Authority personnel;
- 7.8.** be able to issue receipts only if connected to EDC unit which is functioning under normal circumstances;
- 7.9.** be able to independently detect whether the EDC is operational or not, and inform user of its status in case of error;
- 7.10.** not have any other functions than those stipulated in its documentation. The documentation shall be written in English and accompany the CIS on delivery;
- 7.11.** have an inventory control, where the user is able to input and/or remove goods from stock and produce independent reports showing inventory status;
- 7.12.** be able to register cash deposits and withdrawals;
- 7.13.** be able to register a payment with different means of payment;
- 7.14.** be equipped with paper journal or electronic journal or the log file which contains all the sales that immediately upon the creation of any printed material are recorded and shall not operate without it;
- 7.15.** not to be constructed in such a way that it is possible to register a sales amount without simultaneously printing a receipt;
- 7.16.** not be able to register the amount of a transaction without identifying the good and /or service;
- 7.17.** not be able to correct a transaction without prior cancelation of the original transaction. Each cancelation must refer to the original erroneous SDC Receipt number. Moreover, an original transaction is allowed to be cancel only once;
- 7.18.** print only one original receipt. Reprint shall have a watermark with mention Copy.
- 7.19.** send receipt data to EDC in prescribed format defined in this guideline;
- 7.20.** receive response data from EDC and add this information to final receipt structure;
- 7.21.** allow, as programming/servicing function, input of:
 - 7.21.1.** TIN,
 - 7.21.2.** MRC,
 - 7.21.3.** Registered company name and address,
 - 7.21.4.** Date and time,
 - 7.21.5.** TAX rates, labeled as: "A", B, "C" and "D" corresponding to indexes 1-4.
- 7.22.** print each tax rate programmed with value > 0. The tax label and value must be appearing on every receipt even though the sale was not including that particular tax rate;
- 7.23.** print the tax label and value for tax rate equal to zero, only when an item with this particular tax rate is used;
- 7.24.** enable to print in a uniform layout response data received from EDC structured with following content:
 - 7.24.1.** The designation "SDC Information"
 - 7.24.2.** Time and date of EDC (Date: dd/mm/yyyy Time: hh:mm:ss)
 - 7.24.3.** EDC identification "SDC ID: SDCXXXXXXXXXX"
 - 7.24.4.** Receipt counter "A/B RT"
 - 7.24.5.** Internal data separate by dash after every 4th character




- 7.24.6. Receipt signature separate by dash after every 4th character
 - 7.24.7. QR Code: made by *invoice_date(ddmmyyyy)#time(hhmmss)#sdc
number#sdc_receipt_number#internal_data#receipt_signature*
 - 7.25. print receipt type counter and total counter presented in the following manner
A/B RT where:
 - 7.25.1. A = Counter per receipt type;
 - 7.25.2. B = Total counter;
 - 7.25.3. RT = receipt type label.
 - 7.26. provide to competent auditors an interface for audit purposes, including an overview of software settings and database;
 - 7.27. have an item counter which presents the number of items shown on the receipt (excluding voids);
 - 7.28. continue or re-print last line in the case of power failure or after missing paper recovery
 - 7.29. print official GRA logo on each receipt regardless the type.
 - 7.30. not issue a receipt of goods when the corresponding stock is less than the requested quantity. However, CIS can issue a receipt for service item regardless the stock.
 - 7.31. be able to provide a closing stock of a given date by user.
8. Host Devices Compliance- Shall be approved by PURC, or compliant with the international safety standards for electronic equipment
9. The Certified Invoicing System functionalities shall not be affected or interrupted by any other accessory or electronic equipment connected to the same host device.

Receipt specification

- 10. Certified Invoicing System shall not be able to print receipt of any type before the aforementioned data flow has been finalized. This means that it shall be impossible to issue receipt if the CIS did not receive any response from the EDC.
- 11. When the CIS provides a function for printing copies of the receipt, training or proforma tickets, it must be clearly distinguishable from the NORMAL receipt type. The designation COPY, TRAINING, PROFORMA has to be placed on the invoice below receipt header and above item description section and as a watermark. Moreover, in such cases the following text should appear below the amount totals of the ticket: "THIS IS NOT AN OFFICIAL RECEIPT". These identifying texts shall be at least twice bigger than the text that indicates the amount.
- 12. All corrections on the receipt should be performed before approving it.
- 13. **Normal Sale**, defined by receipt label NS, refers to a receipt that shall be produced and offered to the client. It is understood to be any receipt produced while the Electronic Billing Machine is in its normal registration mode, used to register sales of goods and/or services, including corrections and discounts.




13.1. Following is an example of receipt type NORMAL and transaction type SALE (NS):

Trade Name Address, City TIN: 000000000	TAXPAYER'S NAME Shop address Taxpayer Identification number Commercial message CLIENT'S Identification (optional)
----- Welcome to our shop Client ID: 000000000 -----	
Plain Bread 1000.00x 1.00 1000.00A-EX Gouda cheese 33600.00x 0.200 6720.00B discount -25% 5040.00 Wriggly gum 60.00x 5.00 300.00B	Item description, unit price, quantity, total price and tax designation Discount percentage, total price with discount
----- TOTAL 6340.00 TOTAL A-EX 1000.00 TOTAL B-18.00% 5340.00 TOTAL TAX B 814.58 TOTAL TAX 814.58 ----- CASH 6340.00 ITEMS NUMBER 3 -----	Total price to be paid Total TAX exempted amount Total amount with TAX per tax rate Total amount of TAX per tax rate Total amount of TAX
SDC INFORMATION Date: 25/5/2012 Time: 11:07:35 SDC ID: SDC001000001 RECEIPT NUMBER: 168/258 NS Internal Data: TE68-SLA2-34J5-EAV3-N569-88LJ-Q7 Receipt Signature: V249-J39C-FJ48-HE2W 	Payment method Number of items sold Date and time originated from EDC EDC Serial number Receipt number originated from EDC Internal data (separate by dash) Receipt signature (separate by dash) QR Code
----- RECEIPT NUMBER: 152 DATE: 25/5/2012 TIME: 11:09:32 MRC: AAACC123456 ----- THANK YOU COME BACK AGAIN YOUR BEST STORE IN TOWN	Receipt number originated from CIS Date and time originated from CIS Machine Registration Code Commercial message



- 14. Normal Refund**, defined by receipt label NR, refers to a receipt that shall be produced, while Electronic Billing Machine is in refund mode, for a client upon request with information indicating that a previously printed Normal Sale receipt contains incorrect information or information on a refund for returned or discounted goods or services. Such refund receipt contains only negative, refunded amounts. Each receipt of this type requires a statement by user inputted to a special refund log book containing receipt details and justification with description and the name of the refund recipient.

14.1. Following is an example of receipt type NORMAL and transaction type REFUND (NR)

Trade Name Address, City TIN: 000000000	TAXPAYER'S NAME Shop address Taxpayer Identification number
REFUND REF. NORMAL RECEIPT#: NNNN	TITLE for REFUND Receipt number based on which refund is issued (SDC receipt number)
REFUND IS APPROVED ONLY FOR ORIGINAL SALES RECEIPT Client ID: 000000000	CLIENT'S Identification
Gravel /t 9000.00x 5.354 -48186.00B -25% -36139.50	Item description, unit price, quantity, total price in NEGATIVE amount and tax designation Reduction of price in percentage and total amount
TOTAL -36139.50 TOTAL B-18.00% -36139.50 TOTAL TAX B -5512.81 TOTAL TAX -5512.81	Total amount to be refunded (negative amount) Total amount with TAX (negative amount) Total amount of TAX per tax rate (negative) Total amount of TAX (negative)
CASH -36139.50 ITEMS NUMBER 1	Payment method (negative amount) Number of items
SDC INFORMATION Date: 25/5/2012 Time: 11:48:27 SDC ID: SDC001000001 RECEIPT NUMBER: 12/259 NR Internal Data: IR84-99TN-FCYY-CE22-4HWE-V5TA-EE Receipt Signature: 669X-TBMM-GPE4-445D 	Date and time originated from EDC EDC Serial number Receipt number originated from EDC Internal data (separate by dash) Receipt signature (separate by dash)
RECEIPT NUMBER: 153 DATE: 25/5/2012 TIME: 11:50:24 MRC: AAACC123456	Receipt number from CIS Date and time from CIS Machine Registration Code Commercial message
THANK YOU	



- 15. Copy**, defined by receipt label CS or CR, refers to a copy or re-print of a generated receipt of any NORMAL receipt type

15.1. Following is example of receipt type COPY and transaction type REFUND (CR):

Trade Name	
Address, City	
TIN: 000000000	
COPY	

REFUND	
REF. NORMAL RECEIPT#NNNN	

REFUND IS APPROVED ONLY FOR	
ORIGINAL SALES RECEIPT	
Client ID: 000000000	

Gravel /t	
9000.00x	5.354 -48186.00B
-25%	-36139.50

THIS IS NOT AN OFFICIAL RECEIPT -	

TOTAL	-36139.50
TOTAL B-18.00%	-36139.50
TOTAL TAX B	-5512.81
TOTAL TAX	-5512.81

CASH	-36139.50
ITEMS NUMBER	1

COPY	

SDC INFORMATION	
Date: 25/5/2012	Time: 11:49:47
SDC ID:	SDC001000001
RECEIPT NUMBER:	24/260 CR
Internal Data:	
IR84-99TN-FCYY-CE22-4HWE-V5TA-EE	
Receipt Signature:	
REE4-EGMK-DSA2-PKMM	

RECEIPT NUMBER:	154
DATE: 25/5/2012	TIME: 11:51:44
MRC:	AAACC123456

THANK YOU	
WE APPRECIATE YOUR BUSINESS	

TITLE for COPY

Warning message

TITLE for COPY



- 16.** Training, defined by receipt label “TS” or “TR”, refers to a printout purely for practice purposes on Electronic Billing Machine and shall be produced only when it is in training mode. The printed information looks similar to the NORMAL receipt information excluding digital signatures and follow instructions of this guideline.

16.1. Following is example of receipt type TRAINING and transaction type SALE (TS):

<p>Trade Name Address, City TIN: 000000000 TRAINING MODE</p> <hr/> <p>Welcome to our shop Client ID: 000000000</p>	TITLE for TRAINING
<p>Plain Bread 1000.00x 1.00 1000.00A-EX Wriggly gum 60.00x 5.00 300.00B</p>	
<p>THIS IS NOT AN OFFICIAL RECEIPT</p> <hr/> <p>TOTAL 1300.00 TOTAL A-EX 1000.00 TOTAL B-18.00% 300.00 TOTAL TAX B 45.76 TOTAL TAX 45.76</p> <hr/> <p>CASH 6340.00 ITEMS NUMBER 2</p> <hr/> <p>TRAINING MODE</p> <hr/> <p>SDC INFORMATION Date: 25/5/2012 Time: 11:55:12 SDC ID: SDC001000001 RECEIPT NUMBER: 33/261 TS</p> <hr/> <p>RECEIPT NUMBER: 155 DATE: 25/5/2012 TIME: 11:57:08 MRC: AAACC123456</p> <hr/> <p>THANK YOU COME BACK AGAIN YOUR BEST STORE IN TOWN</p>	Warning message
	TITLE for TRAINING

17.1. Following is example of receipt type PROFORMA and transaction type SALE (PS):

<p>Trade Name</p> <p>Address, City</p> <p>TIN: 000000000</p> <p>PROFORMA</p> <p>-----</p> <p>Welcome to our shop</p> <p>Client ID: 000000000</p> <p>-----</p> <p>Cement 42.5/50kg</p> <p>11000.00x 65.00 715000.00B</p> <p>Clay local made brick</p> <p>30.00x 5500.00 16500.00B</p> <p>-----</p> <p>THIS IS NOT AN OFFICIAL RECEIPT</p> <p>-----</p> <p>TOTAL 880000.00</p> <p>TOTAL B-18.00% 880000.00</p> <p>TOTAL TAX B 134237.29</p> <p>TOTAL TAX 134237.29</p> <p>-----</p> <p>PROFORMA</p> <p>-----</p> <p>SDC INFORMATION</p> <p>Date: 25/5/2012 Time: 12:17:41</p> <p>SDC ID: SDC001000001</p> <p>RECEIPT NUMBER: 25/262 PS</p> <p>-----</p> <p>RECEIPT NUMBER: 156</p> <p>DATE: 25/5/2012 TIME: 12:19:38</p> <p>MRC: AAACC123456</p> <p>-----</p> <p>THANK YOU</p> <p>WE LOOK FORWARD TO EARNING</p> <p>YOUR BUSINESS</p>	<p>TITLE for PROFORMA</p> <p>Warning message</p> <p>TITLE for PROFORMA</p>
---	--



18. Certified Invoicing System shall have facility to generate detailed X daily report of the day's sale during which financial transactions were conducted since the previous Z daily report was generated.

18.1. Daily X report is produced by CIS and represents a summary of all sales records since the end of the previous Z daily report and it shall at least contain information on:

- 18.1.1.** trade name and tax identification number;
- 18.1.2.** date and time;
- 18.1.3.** information showing this is an X daily report;
- 18.1.4.** CIS designation and MRC;
- 18.1.5.** total sales amount for all sales receipts labeled as NS, including tax;
- 18.1.6.** total sales amount for all sales receipts labeled as NS, including tax, for the different main groups if main groups are used;
- 18.1.7.** number of sales receipts labeled as NS;
- 18.1.8.** total refund amount for all refund receipts labeled as NR, including tax;
- 18.1.9.** number of refund receipts labeled as NR;
- 18.1.10.** taxable amounts per applicable tax rates divided between sales (NS) and refunds (NR);
- 18.1.11.** tax amounts per applicable tax rates divided between sales (NS) and refunds (NR);
- 18.1.12.** opening deposit;
- 18.1.13.** number of items sold;
- 18.1.14.** number of receipt copies labeled as CS or CR and amount with tax included;
- 18.1.15.** number of receipts in training mode labeled as TS or TR and amount with tax included;
- 18.1.16.** number of advance receipts in proforma mode labeled as PS and amount with tax included;
- 18.1.17.** sales total divided according to means of payment for sales (NS) and refund (NR) receipts;
- 18.1.18.** all discounts;
- 18.1.19.** other registrations that have reduced the day's sales and their amount;
- 18.1.20.** number of incomplete sales.

19. Certified Invoicing System shall have facility to generate detailed Z daily report at the end of each day during which financial transactions were conducted and certified receipts generated. This report will be regarded as a business and accounting record.

19.1. Daily Z report produced by CIS represents a summary of all registrations suitable for account of a day's sale and shall at least contain information on:

- 19.1.1.** trade name and tax identification number;
- 19.1.2.** date and time;
- 19.1.3.** information showing this is an Z daily report;
- 19.1.4.** CIS designation and MRC;
- 19.1.5.** total sales amount for all sales receipts labeled as NS, including tax;
- 19.1.6.** total sales amount for all sales receipts labeled as NS, including tax, for the different main groups if main groups are used;
- 19.1.7.** number of sales receipts labeled as NS;
- 19.1.8.** total refund amount for all refund receipts labeled as NR, including tax;
- 19.1.9.** number of refund receipts labeled as NR;
- 19.1.10.** taxable amounts per applicable tax rates divided between sales (NS) and refunds (NR);
- 19.1.11.** tax amounts per applicable tax rates divided between sales (NS) and refunds (NR);
- 19.1.12.** opening deposit;
- 19.1.13.** number of items sold;
- 19.1.14.** number of receipt copies labeled as CS or CR and amount with tax included;
- 19.1.15.** number of receipts in training mode labeled as TS or TR and amount with tax included;
- 19.1.16.** number of advance receipts in proforma mode labeled as PS and amount with tax included;




- 19.1.17. sales total divided according to means of payment for sales (NS) and refund (NR) receipts;
 - 19.1.18. all discounts;
 - 19.1.19. other registrations that have reduced the day's sales and their amount;
 - 19.1.20. number of incomplete sales.
20. When no report or only one of the above mentioned reports has been generated, the next report shall contain all the data for the entire period (from the time of the previous Z daily report to the time of the new report).
21. PLU report contains full details of each item, the quantities sold and the amounts collected for each item and category according to the user chosen interval of date.
- 21.1. PLU report shall at least contain information on:
- 21.1.1. company name and tax identification number;
 - 21.1.2. interval date and time;
 - 21.1.3. information showing this is an PLU report;
 - 21.1.4. CIS designation;
 - 21.1.5. item code, item name, unit price, tax rate, quantity on sold;
 - 21.1.6. Remain quantity in stock.

Communication Protocol between CIS and EDC

22. Certified Invoicing System (CIS) shall connect to the Virtual Sales Data Controller (EDC) via a web service API (SOAP or REST) or any other application service communication protocol available to the CIS and supported by the EDC;

Communication Flow between CIS and EDC

23. CIS sends a message containing a command for the EDC.
24. EDC executes the command and sends a response message to the CIS within a set time-out period. CIS must wait for a reply before sending another message to EDC.
- 24.1. Message sequence
- 24.1.1. During communication, the EDC will always act as a service application responding to CIS requests.





24.2. Message Time-out

24.2.1. The CIS must ensure a 1000 ms time-out for receiving a reply. If no reply is received after the time-out, the CIS must resend the message. After a set number of failures, the CIS must display a warning for disconnecting.

24.2.2. CIS messages shall be sent in xml format.

24.3. Errors while processing the request

24.3.1. In the case of an error, EDC has to reply with an error code message.

24.4. Data Format

24.4.1. Decimal numbers are presented with two decimal places. Decimal separator is dot ('.'). For example: '18.00'. Zero value is always presented as '0.00'.

24.4.2. Date format is 'DD/MM/YYYY'. For example: '20/06/2012' for 20 June 2012.

24.5. Message formatting between CIS and EDC

Messages from the CIS to the EDC	
<TIN>182345362</TIN>	
<CMD></CMD>	
<DATA></DATA>	
<CMD>	Command code
<DATA>	Data field

Messages from the EDC to the CIS	
<TIN>182345362</TIN>	
<CMD></CMD>	
<DATA></DATA>	
<STATUS>P</STATUS>	
<CMD>	Command code
<DATA>	Data field
<STATUS>	Status of the EDC

24.6. EDC status code <STATUS>

24.6.1. The EDC current state is coded and sent in each reply message:

General usage
'P' – if command is successfully
'E' – if there is an error with the command

24.6.2. Error codes are listed by their priority. Whatever error is first detected, it is the one that should be shown as the error code.

24.6.3. EDC Error codes:

- i. 00 – no error;
- ii. 11 – internal memory full;
- iii. 12 – internal data corrupted;
- iv. 13 – internal memory error;
- v. 20 – Real Time Clock error;
- vi. 30 – wrong command code;
- vii. 31 – wrong data format in the CIS request data;



- viii. 32 – wrong TIN in the CIS request data;
- ix. 33 – wrong tax rate in the CIS request data;
- x. 34 – invalid receipt number in the CIS request data;
- xi. 40 – EDC not activated;
- xii. 41 – EDC already activated;
- xiii. 42 – EDC Authentication error

- xiv. 90 – Internet error;
- xv. 91 – Backup error;
- xvi. 99 – Hardware intervention is necessary.

24.6.4. Warning codes:

- i. 0 – no warning;
- ii. 1 – EDC internal memory is near to full (it is at more than 90% of capacity);
- iii. 2 – EDC internal memory is near to full (it is at more than 95% of capacity).

24.7. Detailed command description

24.7.1. This command is used to send CIS receipt data to EDC:

CMD: SEND_RECEIPT	
Data field:	<i><Rtype><TType><MRC>,<TIN>,<Date><Space><Time>,<RNum>,<TaxRate1>,<TaxRate2>,<TaxRate3>,<TaxRate4>,<Amount1>,<Amount2>,<Amount3>,<Amount4>,<Tax1>,<Tax2>,<Tax3>,<Tax4>[,<ClientsTin>,<Clientphone>]</i>
Response:	<i><Code><ErrorCode></i>
Comment:	
<i>RType</i>	Receipt type: N - normal; C - copy; T - training; P - proforma
<i>TType</i>	Transaction type: S – sale; R – refund
<i>MRC</i>	CIS machine registration code - up to 12 characters
<i>TIN</i>	Tax registration number of the taxpayer
<i>Date</i>	Date of issuing the receipt: DD/MM/YYYY
<i>Time</i>	Time of issuing the receipt: HH:MM:SS
<i>RNum</i>	Receipt number
<i>TaxRate1,...,TaxRate4</i>	Percentage Tax rates
<i><Amount1>,...,<Amount4></i>	Receipt amounts corresponding to each Tax (taxable amounts)
<i><Tax1>,...,<Tax4></i>	Calculated taxes corresponding to each Tax (tax amounts)
<i>ClientsTin</i>	Tax registration number of the client.
<i>Clientphone</i>	Phone number of the client
<i>Code</i>	'P' – the command is executed 'E' – error
<i>ErrorCode</i>	Warning number when <i>Code</i> is P. Error number when <i>Code</i> is E



24.7.2. This command is used to get EDC information for the last receipt processed by EDC:

CMD: RECV_RECEIPT	
Data field:	<RNumber>
Response:	<SNumber>,<TNumber>,<GNumber>,<RLabel>,<Date><Space><Time>,<Receipt Signature>,<Internal Data>
Comment:	
<i>Rnumber</i>	Receipt number
<i>SNumber</i>	EDC serial number as a string
<i>TNumber</i>	Receipt number per receipt type
<i>GNumber</i>	Total receipt number
<i>RLabel</i>	Receipt label, based on receipt type (N, C, P, T) and transaction type (S, R): <receipt type><transaction type>, for example: NS
<i>Date</i>	Date of accepting the receipt by the EDC: DD/MM/YYYY
<i>Time</i>	Time of accepting the receipt by the EDC: HH:MM:SS
<i>Receipt Signature</i>	Receipt Signature, sent as a string
<i>Internal Data</i>	Internal Data, sent as a string
Exemplary responses:	SDC999123456,300234,234556,NS,19/01/201212:39:05,JVPGPLYGDJRSMXF2,2ASEDCZBZ5AH3TZVVIKEXRW6IQ

24.7.3. This command can be used to read the signatures for the last receipt processed by EDC:

CMD: SIGNATURE_REQUEST	
Data field:	<Type><RNumber>
Response:	<Signature>
Comment:	
<i>Type</i>	R – Receipt Signature I – Internal Data
<i>Rnumber</i>	Receipt number
<i>Signature</i>	EDC signature, sent as a string
Exemplary responses:	For the Receipt Signature: JVPGPLYGDJRSMXF2 For the Internal Data: 2ASEDCZBZ5AH3TZVVIKEXRW6IQ

24.7.4. This command can be used to read the counters for the last receipt processed by EDC:

CMD: COUNTERS_REQUEST	
Data field:	<RNumber>
Response:	<TNumber>,<GNumber>,<Date><Space><Time>
Comment:	
<i>RNumber</i>	Receipt number, sent by the CIS
<i>TNumber</i>	Receipt number per receipt type
<i>GNumber</i>	Total receipt number
<i>Rlabel</i>	Receipt label, based on receipt type (N, C, P, T) and transaction type (S, R): <receipt type><transaction type>, for example: NS
<i>Date</i>	Date of accepting the receipt by the EDC: DD/MM/YYYY
<i>Time</i>	Time of accepting the receipt by the EDC: HH:MM:SS
Ex. response:	300234,234556,NS,19/01/2012 12:39:05



24.7.5. This command is used to read the date and time of EDC:

CMD: DATE_TIME_REQUEST	
Data field:	No data
Response:	<Date><Space><Time>
Comment:	
Date	Current date of EDC: DD/MM/YYYY
Time	Current time of EDC: HH:MM:SS

24.7.6. This command is used to read the serial number of EDC:

CMD: ID_REQUEST	
Data field:	No data
Response:	<SNumber>
Comment:	
SNumber	EDC serial number as a string

24.7.7. EJ Data:

CMD: EJ_DATA	
Data field:	<String>
Response:	<Flg>
Comment:	
String	String that represent invoice print out. Each string of line must be ended by “\n”
Flg	'P' - operation succeed 'E' - operation failure

24.7.8. EDC Status:

CMD: STATUS	
Data field:	No data
Response:	<Snumber>,<FWver>,<HWrev>,<CurrentZ>,<LastRemoteDate>,<LastLocalDate>
Comment:	
Snumber	EDC serial number
FWver	Firmware version
HWrev	Hardware revision
CurrentZ	The number of current EDC daily report
LastRemoteDate	Last remote audit date and time
LastLocalDate	Last local audit date and time

24.7.9. A Certified Invoicing System must stop operating, whenever a communication error appears, due to the disconnection from the EDC or due to power failure interruption. After the error has been cleared, the continuation of the printing process must be enabled



- 24.8.** These commands are used to define the type of data to be shared between EDC and CIS. They are sent in XML format. The data flow transmission should be schedule to a maximum of 15 min.

Tag	Description
<CMD>	<ol style="list-style-type: none"> 1. SEND_RECEIPT: Used when EDC sends to Authority Server one or many <i>Receipt</i> records. 2. SEND_RECEIPTITEM: Used when EDC sends to Authority Server one or many <i>Receipt Item</i> records. 3. SEND_PURCHASE: Used when EDC sends to Authority Server one or many <i>Purchase</i> records. 4. RECV_PURCHASEITEM: Used when EDC receives one or many <i>PurchaseItem</i> records from the Authority Server. 5. SEND_PURCHASEITEM: Used when EDC sends to Authority Server one or many <i>Purchase Item</i> records. 6. SEND_INVENTORY: Used when EDC sends to Authority Server one or many <i>Current Stock</i> records. 7. SEND_ITEM: Used when EDC sends to Authority Server one or many <i>Item description</i> records. 8. RECV_ITEM: Used when EDC receives one or many <i>Item description</i> records from the Authority Server. 9. RECV_IMPORT_ITEM: Used when EDC receives one or many <i>Importation</i> records from the Authority Server. 10. SEND_IMPORT_ITEM: Used when EDC sends one or many <i>Importation</i> record confirmations to the Authority Server. 11. RECV_SYSCODECLS: Used when EDC receives one or many <i>System Code Classification</i> records from the Authority Server. 12. RECV_SYSCODE: Used when EDC receives one or many <i>System Code</i> records from the Authority Server. 13. RECV_TAXPAYER: Used when EDC receives one or many <i>Taxpayer</i> records from the Authority Server.
<tin>	Taxpayer Identification Number owning the EDC

Each <DATA> tag contains different types of tags depending on the value in <CMD> as described below:

24.8.1. For <CMD>value = SEND_RECEIPT

Tag name	Description	Sample data
invId	Invoice ID	290
bhId	Branch ID	00
sdId	Sales Data Controller Id	SDCXXXXXXXXX
mrcNo	Machine Registration Code	MRCXXXXXXXXX
bcncId	Customer TIN	100111222
bcncNm	Customer Name	TAXPAYERXX
refId	Reference invoice number	
transTyCd	Transaction Type code	N
rcptTyCd	Receipt Type Code	S
ValidDt	Receipt date	2017-06-21 13:15:28
totNumItem	Total number item	1
taxRateA	Tax rate A	0
taxRateB	Tax rate B	12.5
taxRateC	Tax rate C	0



Tag name	Description	Sample data
taxRateD	Tax rate D	0
totTaxablAmtA	Total taxable amount A	0
TotTaxablAmtB	Total taxable amount B	295000
TotTaxablAmtC	Total taxable amount C	0
totTaxablAmtD	Total taxable amount D	0
totTaxA	Total tax amount A	0
totTaxB	Total tax amount B	45000
totTaxC	Total tax amount C	0
totTaxD	Total tax amount D	0
levyA	Total Levy amount A	10
levyB	Total Levy amount B	25
levyC	Total Levy amount C	25
levyD	Total Levy amount D	0
totTax	Total Tax amount	45000
totAmt	Total amount	295000
rcptDt	Receipt date	21062017131534 (DDMMYYYYHHMMSS)
sdRcptNo	SDC receipt number	285
totSdcRcptNo	SDC receipt number	285
internalData	Receipt Internal data	G7ZTMX4DSSAPNR5C6UTSJYKRNA
signature	Receipt signature	OHYYSNKC2XQ2N3AM
journal	Electronic journal	[RECEIPT TEXT]
regusrId	Register User id	2
regusrNm	Register user name	Test
rptNo	Report number	2
regDt	Send date	2017-06-21 13:15:35

24.8.2. For <CMD>value = SEND_RECEIPTITEM

Tag name	Description	Sample data
invId	Invoice ID	12
bhId	Branch ID	00
itemSeq	Item sequence	1
itemClsCd	Item Classification Code	3026530000
itemCd	Item Code	RW2BEXUXXX0000001
itemNm	Item Name	Bar 12mm
bcnId	Customer TIN number	100111222
pkgUnitCd	Packaging unit code	BE (Sys Code:17)
pkgQty	Packaging quantity	0
qtyUnitCd	Quantity unit code	U(Sys Code:10)
qty	Quantity	50
untpc	Unit price	5900
splpc	Supplier price	295000
dcRate	Discount rate	0
dcAmt	Discount amount	0
taxablAmt	Taxable amount	295000
taxTyCd	Tax type code	B(Sys Code:4)
tax	Tax amount	45000
totAmt	Total amount	295000



24.8.3. For <CMD>value = RECV_PURCHASE

The request for the <CMD> RECV_PURCHASE doesn't require the data. However its response can contain zero or many rows.

	Tag name	Description	Sample data
	InvId	Invoice ID	251
	bhId	Branch ID	00
	bcncId	Customer TIN	101558700
	bcncSdcId	Supplier SDC Id	SDC007000001
	bcnMrcNo	Supplier Mrc No	MRC00100001
	regTyCd	Registration Type code -M: Manual - A: Automatic	M
	refId	Reference Id (Supplier invoice number)	2
	payTyCd	Payment Type Code	01
	invStatusCd	Invoice status code	02
	ocde	Transaction Date	20161219
	validDt	Valid Date	2016-12-19 09:05:12
	CancelReqDt	Cancel Request Date	2016-12-19 09:05:12
	canceledDt	Cancelled Date	2016-12-19 09:05:12
	cancelTyCd	Cancel Type Code	
	refundDt	Refund Date	2016-12-19 09:05:12
	totNumItem	Total number item	1
	totTaxablAmtA	Total taxable amount A	0
	totTaxablAmtB	Total taxable amount B	630000
	totTaxablAmtC	Total taxable amount C	0
	totTaxablAmtD	Total taxable amount D	0
	totTaxA	Total tax A	0
	totTaxB	Total tax B	96101.70
	totTaxC	Total tax C	0
	totTaxD	Total tax D	0
	totSplpc	Total Supplier Amount	630000
	totTax	Total Vat amount	96101.70
	totAmt	Total Amount	630000
	remark	Remark	[FREE TEXT]
	regusrId	Register user ID	Teller
	regDt	Register Date	20161219171600

24.8.4. For <CMD>value = SEND_PURCHASE

Tags in <DATA> with a corresponding sample value

	Tag name	Description	Sample data
Row (1..n)	table	Target table	TRNPURCHASE
	actionCd	Target data processing	ACT – INSERT
	InvId	Purchase ID	251
	bhId	Branch ID	00
	bcncId	Supplier TIN	101558700
	bcncNm	Supplier Name	TAXPAYER X
	bcncSdcId	Supplier SDC Id	SDCXXXXXXXXXX
	bcncMrcNo	Supplier MRC No	MRCXXXXXXXXXX
	regTyCd	Registration Type Code	M
	refId	Reference Id	1
	payTyCd	Payment type code	02



Tag name	Description	Sample data
invStatusCd	Invoice Status Code	02
ocde	Transaction date	20161219
validDt	Valid Date	2016-12-19 09:05:12
cancelReqDt	Cancel Request Date	2016-12-19 09:05:12
CancelDt	Cancel Date	2016-12-19 09:05:12
refundDt	Refund Date	2016-12-19 09:05:12
cancelTyCd	Cancel Type Date	
totNumItem	Total number item	1
totTaxablAmtA	Total taxable amount A	0
totTaxablAmtB	Total taxable amount B	630000
totTaxablAmtC	Total taxable amount C	0
totTaxablAmtD	Total taxable amount D	0
totTaxA	Total tax A	0
totTaxB	Total tax B	96101.70
totTaxC	Total tax C	0
totTaxD	Total tax D	0
totSplpc	Total Supplier Amount	630000
totTax	Total Vat amount	96101.70
totAmt	Total Amount	630000
remark	Remark	[FREE TEXT]
regusrId	Register ID	Teller
regDt	Register date	20161219171600

24.8.5. For <CMD>value = RECV_PURCHASEITEM

The request for the <CMD> RECV_PURCHASEITEM doesn't require the data. However its response can contain zero or many rows.

21.12.4.1 Tags in <DATA> with a corresponding sample value of response for <CMD>=RECV_PURCHASEITEM

Tag name	Tag description	Sample data
invId	Invoice ID	251
bhId	Branch ID	00
itemSeq	Item sequence	1
itemClsCd	Item Classification Code	3026530000
itemCd	Item Code	RW2BEXUXXX0000002
itemNm	Item Name	Bar 10 mm
bcnclItemClsCd	Supplier item class code	3026530000
bcnclItemCd	Supplier item code	17350053850030
bcnclItemNm	Supplier item name	10 mm Bar
pkgUnitCd	Packaging unit code	BE(Sys Code:17)
pkgQty	Packaging quantity	10
qtyUnitCd	Quantity unit code	U(Sys code:10)
qty	Quantity	150
expirDt	Expiry date	20200801
untpc	Unit price	4200
splpc	Supplier price	630000
dcRate	Discount rate	0
dcAmt	Discount amount	0
taxablAmt	Taxable amount	630000
taxTyCd	Tax type code	B(Sys Code:4)
tax	Tax amount	96101.70
totAmt	Total amount	630000
regTyCd	Registration type code	M



24.8.6. For <CMD>value = SEND_PURCHASEITEM

Tags in <DATA> with a corresponding sample value

Tag name	Tag Description	Sample data
invId	Invoice ID	251
bhId	Branch ID	00
refId	Reference ID	1
itemSeq	Item sequence	1
itemClsCd	Item Classification Code	3026530000
itemCd	Item Code	RW2BEXUXXX0000002
itemNm	Item Name	Bar 10 mm
bcnclItemClsCd	Supplier item class code	3026530000
bcnclItemCd	Supplier item code	17350053850030
bcnclItemNm	Supplier item name	10 mm Bar
pkgUnitCd	Packaging unit code	BE(Sys Code:17)
pkgQty	Packaging quantity	10
qtyUnitCd	Quantity unit code	U(Sys code:10)
qty	Quantity	150
expirDt	Expiry date	20200801
untpc	Unit price	4200
splpc	Supplier price	630000
dcRate	Discount rate	0
dcAmt	Discount amount	0
taxablAmt	Taxable amount	630000
taxTyCd	Tax type code	B(Sys Code:4)
tax	Tax amount	96101.70
totAmt	Total amount	630000
regTyCd	Registration type code	M

24.8.7. For <CMD>value = SEND_INVENTORY

24.8.7.1. Tags in <DATA> with a corresponding sample value

Tag name	Description	Sample data
Tin	Taxpayer Identification Number	001201612190001
bhId	Branch ID	00
itemClsCd	Item Classification Code	3026530000
itemCd	Item Code	RW2BEXUXXX0000001
qty	Quantity	120
updDt	Update date	2018-02-05 13:02:52

24.8.8. For <CMD>value = SEND_ITEM

24.8.8.1. Tags in <DATA> with a corresponding sample value

Tag name	Description	Sample data
itemCd	Item Code	RW2BEXUXXX0000028
itemClsCd	Item classification code	5612180500
itemNm	Item name	Bar 15mm
itemTyCd	Item type code	2
itemStd		
OrgplceCd	Origin country	RW
PkgUnitCd	Packaging unit code	JY
QtyUnitCd	Quantity unit code	KG
AdiInfo	Addition information	0001
InitlWhUntpc	Initial unit price	2000
InitlQty	Beginning stock	10



	Tag name	Description	Sample data
	AvgWhUntpc	Average unit price	2000
	dfltDIUntpc	Sale price	2000
	taxTyCd	Tax type code	B
	rm	Remark	[FREE TEXT]
	useYn	Item usage on market	Y
	regusrId	Register username	User1
	regDt	Register date	20180301144328 (YYYYMMDDHHmmSS)
	updusrId	Update username	User1
	updDt	Update date	20180301144328 (YYYYMMDDHHmmSS)
	safetyQty	Security stock quantity	0
	useBarcode	Use of barcode	N
	changeYn	Change yes/no	N
	useAdiYn		Y

24.8.9. For <CMD>value = RECV_ITEM

The request for the <CMD> RECV_ITEM doesn't require any row. However its response can contain zero or many rows.

24.8.9.1. Tags in <DATA> with a corresponding sample value of response for <CMD>=RECV_ITEM

	Tag name	Tag Description	Sample data
Row (1..n)	Table	Target table	ITMITEM
	actionCd	Target data processing	ACT – INSERT
	itemCd	Item Code	RW2JYXLTR0000016
	itemClsCd	Item classification code	5015151300
	itemNm	Item name	zahabu 3 litres
	itemTyCd	Item type code	2
	itemStd		
	OrgplceCd	Origin country	RW
	PkgUnitCd	Packaging unit code	JY
	QtyUnitCd	Quantity unit code	LTR
	taxTyCd	Tax type code	B
	useYn	Item usage on market	Y
	regusrId	Register username	User1
	regDt	Register date	2017-04-24 16:18:00 (YYYY-MM-DD HH:mm:ss)
	useBarcode	Use of barcode	N
	changeYn	Change yes/no	N
	useAdiYn		Y

24.8.10. For <CMD>value = RECV_IMPORT_ITEM

The request for the <CMD> RECV_IMPORT_ITEM doesn't require any row. However its response can contain zero or many rows.

24.8.10.1. Tags in <DATA> with a corresponding sample value of response for <CMD>=RECV_IMPORT_ITEM

	Tag name	Description	Sample data
	operationCd	Operation code	1141093
	dclrtDate	Declaration date	20160826
	itemSeq	Item Sequence	1
	hsCd	HS Code	84715000000
	itemNm	Item name	EBM INCOTEX 133 (2 IN 1)
	orgplceCd	Origin Code	BG
	expNatCd	Export Country Code	BG



pkgQty	Packaging quantity	30
qty	Quantity	298
qtyUnitcd	Quantity unit code	NMB
grossWt	Gross Weight	434
netWt	Net weight	434
supplierNm	Supplier name	AL-AZHAR AUTO SPARE PARTS P.O BOX 81694 DEIRA DUBAI-UNITED ARAB EMIRATES
agentNm	Agent name	UMOJA CLEARING AGENCY LTD
invAmtFcx	Invoice Amount in foreign currency	34800
invCurCd	Invoice currency	USD
invCurRate	Exchange rate	804

24.8.11. For <CMD>value = SEND_IMPORT_ITEM

24.8.11.1. Tags in <DATA> with a corresponding sample value

	Tag name	Description	Sample data
	operationCd	Operation code	1141093
	dclrtDate	Declaration date	20160826
	itemSeq	Item sequence	1
	approvalStatusCd	Approval status code	3
	itemClsCd	Item classification code	
	itemCd	Item code	
	commF	Communication status	Y
	remark	remark	(FREE TEXT)

24.8.12. For <CMD>value = RECV_SYSCODECLS

The request for the <CMD> RECV_SYSCODECLS doesn't require any row. However its response can contain zero or many rows.

24.8.12.1. Tags in <DATA> with a corresponding sample value of response for <CMD>=RECV_SYSCODECLS

	Tag name	Tag description	Sample data
Row (1..n)	table	Target table	SYSCODECLS
	actionCd	Target data processing	ACT – INSERT
	codeCls	Code classification	39
	codeClsNm	Classification name	Warning Type
	codeClsDc	Classification description	Different warning message
	useYn	In use Yes/No	Y

24.8.13. For <CMD>value = RECV_SYSCODE

The request for the <CMD> RECV_SYSCODE doesn't require any row. However its response can contain zero or many rows.

24.8.13.1. Tags in <DATA> with a corresponding sample value of response for <CMD>=RECV_SYSCODE

	Tag name	Tag description	Sample data
	codeCls	Code classification	38
	code	Classification name	R
	codeNm	Classification description	Refund
	codeDc	Code description	Invoice refund
	useYn	In use Yes/No	



24.8.14. For <CMD>value = RECV_TAXPAYER

The request for the <CMD> RECV_TAXPAYER doesn't require any row. However its response can contain zero or many rows.

24.8.14.1. Tags in <DATA> with a corresponding sample value of response for <CMD>=RECV_TAXPAYER

	Tag name	Tag description	Sample data
	tin	Taxpayer Identification Number	12345678901
	bizCnd	Business activity	Wholesaler of different products
	province	province	ACCRA CITY
	district	district	OSU
	sector	sector	DOWNTOWN
	locDc	Location description	250